




NIES KS 600


Rotatable earth coupling for tank, piping and associated equipment construction

Type KS 600

Clamped current coupling

Rotatable earth coupling with integral clamping device for current loads of 600 A


For clamping in pipes with a min. ID of 44 mm and to tank shells of any diameter with a maximum wall thickness of 30 mm




- **Rugged construction**
- **Quick and easy to fit, good contact to the workpiece**
- **Strong Tommy screw M 16**
- **Relubrication ensures long service life.**
- **Handle connection with bending guard and clamped connection protects cable**

Only use special grease P 34 for relubrication.

A manual grease gun filled with special grease P 34 and lubrication instructions are supplied.



Fastening methods



Article code	Description	Clamping span	Cable cross- section	Weight
332.230000	Nies Rotatable earth coupling KS 600	30 mm	70-120 mm ²	3.1



EXPERIENCE THE CONVENIENCE OF EVERYTHING UNDER ONE ROOF

At Lascentrum, you can find everything you need regarding products for welding and safety. Lascentrum has been established in 1988 and now imports a complete range of welding consumables, gouging electrodes, gas welding & cutting equipment, welding blankets, safety products and accessories.

CONTACT

Nieuwland Parc 1
2952 DA Alblasserdam,
The Netherlands

T: +31 (0)78 642 96 56
F: +31 (0)78 642 96 86

www.lascentrum.com
info@lascentrum.com

