




THERMO-SD10

Thermo SD10 is a Glass fabric with silicone rubber coating on both sides.

355.0.THERMO-SD10

Thermo SD10 is a Glass fabric with silicone rubber coating on both sides. The maximum application temperature is 980 °C.

Thermo SD10 has a silicone coating with silicone rubber, high resistance to extreme mechanical, thermal and electric influence.



Characteristics			Test method
Weave	8 HS SATIN		
Yarn Tex	Warp	EC9 33 2X4	ISO 4602
	Weft	EC9 33 2X4	
Width	100 cm		DIN EN 1773
Cloth weight	840 ±10 g/m²		DIN EN 12127
Color	Gray		
Coating style	200g Both sides Coated Silicone		
Total weight	1040 ± 10 g/m²		DIN EN 12127
Total thickness	0.8 ± 0.03 mm		DIN EN ISO 5084
Thread count	Warp	18±1 cm	DIN EN 1049-2
	Weft	13±1 cm	
Tensile strength / min	Warp	8000 N/50 mm	EN ISO 13934-1
	Weft	6000 N/50 mm	
Temperature resistant	980°C		



EXPERIENCE THE CONVENIENCE OF EVERYTHING UNDER ONE ROOF

At Lascentrum, you can find everything you need regarding products for welding and safety. Lascentrum has been established in 1988 and now imports a complete range of welding consumables, gouging electrodes, gas welding & cutting equipment, welding blankets, safety products and accessories.

CONTACT

Nieuwland Parc 1
2952 DA Alblasserdam,
The Netherlands

T: +31 (0)78 642 96 56
F: +31 (0)78 642 96 86

www.lascentrum.com
info@lascentrum.com

