




PT-60 PLASMA HAND CUTTING TORCH

Suitable for: LG60 | Cable: 6 meters | Duty cycle 80%: 60A

PT-60 Plasma hand cutting torch



PT-60 PLASMA HAND CUTTING TORCH DETAILS

Cutting Current	10-60A
Duty Cycle 80%	60A
Gas Supply	Air, Nitrogen
Gas Supply Pressure	4.4 – 5 Bar (65 – 75 Psi)
Ignition	Non-High Frequency

PT-60 PLASMA HAND CUTTING TORCH

Product Code	Description	Cable
308.LG60/PT60-6	PT-60 hand cutting torch for LG60 (70°)	6 meters

PT-60 PLASMA HAND CUTTING TORCH PARTS

Product Code	Description	Drawing Number
375.09603	Hand Cutting Torch Head PT-60 - 70°	1
375.51620.60	O-ring for cutting torch head	1A
375.09605	Handle with switch	2
375.073 01.20	Switch	2A
375.52582	Electrode	3
375.60028	Air distributor	4
375.51318.06	Cutting nozzle Ø 0.65mm	5
375.51318.08	Cutting nozzle Ø 0.65mm 10-20A	
375.513 08.09	Cutting nozzle Ø 0.8mm 20-30A	
375.51312P.0 9	Cutting nozzle Ø 0.9mm 30-40A	6
375.51313P.10	Cutting nozzle Ø 1.0mm 40-50A	7
375.51313P.11	Cutting nozzle Ø 1.1mm 50-60A	8
375.52583	Long Electrode	
375.51318L .06	Long cutting nozzle, contact cutting, Ø 0.65mm 10-20A	
375.51318L .08	Long cutting nozzle, contact cutting, Ø 0.8mm 20-30A	10
375.51314.09	Long cutting nozzle, contact cutting, Ø 0.9mm 30-40A	
375.60389	Cutting nozzle holder, 6 holes	11
375.60389S	Cutting nozzle holder, 6 holes, Max-Life	12
375.60432	2-point distance holder (only for use with cutting nozzle Ø 1.0mm & Ø 1.1mm)	
375.60368	Electrode wrench	



EXPERIENCE THE CONVENIENCE OF EVERYTHING UNDER ONE ROOF

At Lascentrum, you can find everything you need regarding products for welding and safety. Lascentrum has been established in 1988 and now imports a complete range of welding consumables, gouging electrodes, gas welding & cutting equipment, welding blankets, safety products and accessories.

CONTACT

Nieuwland Parc 1
2952 DA Alblasserdam,
The Netherlands

T: +31 (0)78 642 96 56
F: +31 (0)78 642 96 86

www.lascentrum.com
info@lascentrum.com

